


## POWER LINE SURGE PROTECTOR



**RM420.00**

SKU: N/A | Categories: [Fire Suppression Systems](#) | Tags: [Fire Detection & Alarm System](#)



### PRODUCT DESCRIPTION

#### TECHNICAL DATA

<b>Model No.</b>	240-5APKD10
<b>Part No.</b>	UFI227SP_S.FILTER
<b>Location Category</b>	Indoor, Boundary LPZ1 – LPZ2

IEC 61643-1 Class III, AS / NZS 1768, IEEE  
C62.41,IEC 6-1000-4-5, UL1449 3<sup>rd</sup> Edition

<b>Standard Compliance</b>	IEC 61643-1 Class III, AS / NZS 1768, IEEE C62.41,
<b>Number of Ports</b>	1
<b>Method of Mounting</b>	Fixed (DIN 35mm Railway)
<b>Maximum Continuous Operating Voltage (<math>U_c</math>)</b>	300V
<b>Nominal Continuous Operating Voltage (<math>U_n</math>)</b>	240V
<b>Maximum Discharge Current (<math>I_{max}</math>) (8/20<math>\mu</math>s)</b>	10kA
<b>Nominal Discharge Current (<math>I_n</math>) (8/20<math>\mu</math>s)</b>	3kA
<b>Rated load current (<math>I_L</math>)</b>	5A
<b>Protection Level (<math>U_p</math>)</b>	<600V
<b>Mode of protection</b>	L-L, L-E, L-N & N-E
<b>IP Code</b>	IP20
<b>Dimensions</b>	92mm x 17mm x 62mm
<b>Working environments</b>	Temperature -40°C to 70°C, Relative Humidity $\leq$ 95%
<b>Cable size</b>	0.75 - 2.5mm <sup>2</sup>



