

**UNIQUEFIRE SMOKE CURTAIN****RM6.00 - RM2,850.00**


Smoke curtains have high tensile strength and are used to contain the spread of fire in 'uncloseable' areas, that is, where there is no structure in place (such as doors) to prevent applied fire retardants from escaping. The smoke curtains are rot-proof and non-combustible. The release mechanism for the curtains is operated electrically.

**SKU:** N/A | **Categories:** [Carbon Dioxide Fire Extinguishing System](#) | **Tags:** [Carbon Dioxide Fire Extinguishing System](#)



**VARIATIONS**

| Image   | SKU | Price      | Stock Status | Stock Quantity | Description | Part No.                |
|---|-----|------------|--------------|----------------|-------------|-------------------------|
|  |     | RM6.00     |              |                |             | ( FC ) Rm 6 per SQ.FT   |
|  |     | RM2,850.00 |              |                |             | ( FC ) Rm 2850 per ROLL |



**PRODUCT DESCRIPTION**

TECHINCAL DATA

|                              |                         |
|------------------------------|-------------------------|
| <b>Part No.</b>              | FC                      |
| <b>Material</b>              | Woven Fibreglass Fabric |
| <b>Colour</b>                | White                   |
| <b>Coating Finish</b>        | Loomstate               |
| <b>Operating Temperature</b> | Basic Fabric 600°C      |
| <b>Standard</b>              | BS 476: Part 7          |

## ADDITIONAL INFORMATION

**Part No.**

( FC ) Rm 6 per SQ.FT, ( FC ) Rm 2850 per ROLL

