


COMMANDER FIRE HOSE



Consists of fire hoses, couplings (to join two (2) or more hoses together to extend their length) and nozzle to direct the flow of water. They are designed to be connected to a landing valve of a wet or dry riser system or hydrant, which supplies the water. They are designed to be used by firefighters

SKU: N/A | **Categories:** [Fire Hydrant System](#) | **Tags:** [Fire Hydrant System](#)



VARIATIONS

| Image | SKU | Price | Stock Status | Stock Quantity | Description | Part No. |
|---|-----|-------|--------------|----------------|-------------|-----------|
|  | | | | | | FH-16W-65 |
|  | | | | | | |
|  | | | | | | FH-16R-65 |
|  | | | | | | |

PRODUCT DESCRIPTION

| | TECHNICAL DATA | |
|------------------|--------------------------------|-----------|
| Part No. | FH-16W-65 | FH-16R-65 |
| Size | 65mm | 65mm |
| Working Pressure | 16 bar | |
| Burst Pressure | 32 bar | |
| Length | 30m | |
| Type | Type 1, Light Weight Fire Hose | |
| Material | Tough Woven Polyester Fabric | |
| Test Pressure | 25 bar | 25 bar |
| Finishing | White | Red |

ADDITIONAL INFORMATION

Part No. FH-16W-65, FH-16R-65

